

Please keep this guide for yourself. Do not lend it out. In years to come I want you to have this guide in your home. If you lend it out there is a very good chance that it will not be returned. If someone wants to know how you keep your suite so clean, let them buy their own copy.

This E Book Is Protected By Copyright Law.

**You 'Can' Easily Get Superb Cleaning-Results.
Use These PROFESSIONAL Cleaning Techniques.
See How You're Suite Colours Look Bright And New.
You'll also Feel The Enriched-Texture Of Your
Suite Fabric After Cleaning.**

Get Professional Cleaning Results Yourself.

Here's How!!!

Upholstery cleaning is a necessary thing to do. If your suite is more than 2-3 years old cleaning is critical. Without cleaning your suite, you'll notice soils building up. The armrests, backrest and headrest places naturally become soiled. Your suite will start to look less bright and colourful without cleaning.

Keep two things in mind.

1/ Clean your suite at least once every two years.
2/ Maintain in order to keep your suite bright, colourful, and new looking.
We'll be discussing both types of suite cleaning in this issue.

Cleaning your suite must be done properly if it is to be worthwhile. Always tackle suite cleaning with professional solutions, tools and equipment.

Knowing how to clean your suite is vitally important.

You'll be given the exact procedure to clean and maintain your suite. The tools, equipment and solutions are available

to you for cleaning. You'll have more time to clean your suite yourself. Someone you call in to clean your suite will have less time. You have an advantage. Spend all the time you want to clean your suite superbly.

Take your time and don't overdo it. Relax while you're cleaning. Follow my suggestions and enjoy cleaning your suite. You will get superb cleaning results.

Get familiar with the equipment you'll be using first. The free booklet with this guide will give you more information. Read through this guide, and then read the booklet.

Here is how to clean your suite for a perfect result.

First you must vacuum clean your suite. Use a brush attachment on your vacuum cleaner hose. A T shaped attachment or brush attachment for vacuum cleaning upholstery is fine. Every vacuum cleaner is normally equipped with a tool for cleaning upholstery.

Vacuum clean your suite thoroughly. Spend quality time pulling dry soil out of your suite fabric. Work slowly.

The tool you use to vacuum clean your suite should have a brush attached. One or two slow passes, vacuum cleaning, will suck dry soils out.

Vacuum clean one side only of your chair or settee. Next, vacuum clean the back.

If you start to rush, slow down. Vacuum cleaning is very important. Don't exhaust yourself.

Vacuum clean the arms of your suite gently. Be careful not to damage the fabrics especially in sensitive areas.

You can use only the hose while vacuum cleaning awkward places. Allow the hose to vacuum clean gently the front of chair or settee arms. Be careful, as the front of arms are delicate and can split.

Vacuum clean one item, either your settee or chair, then stop. Be certain that you've vacuumed as much dry soil out as possible. Prepare both sides of your cushions for cleaning, or

just one side only.

I suggest you clean just one side of your suite cushions.

It's a long fairly strenuous job cleaning a suite. Use your discretion about whether to clean both sides of your cushions. May I suggest you clean only one side of your cushions? If you clean your suite again in future, reverse you're cushions then. Make cleaning easier while you're learning. You'll avoid cleaning your suite again if it's hard for you first time.

**Enjoy cleaning your suite,,, and
you WILL re-clean-again.**

Relax while you're cleaning. Cleaning your suite is a way to get extra exercise. You'll be using muscles you haven't used in ages. The cleaning result should create feelings that inspire you enough to clean again. If you tire yourself cleaning, will you clean your suite again? It's doubtful!

There are '2 solutions' to clean your suite.

You'll be using approximately two 6.5 liter mixes of solution for rinsing. 6.5 liters normally cleans half of an average size suite. That estimate applies to cleaning both sides of cushions. One chair and settee rinsed with 6.5 liters of solution is about right. The solutions will remain warm while you are cleaning.

These are the two solutions to clean your suite.

Fabric restorer. (Pre-spray)

Fab clean. (Rinse solution)

Fab clean rinses fabric restorer out. Here's how the two solutions work.

Always test solutions before cleaning.

Test solutions to prevent colour migration and fabric distortions. It's a simple test that takes two minutes. Be sure the

solutions you're using are safe.

Fabric restorer is the solution we test. If during testing we notice that the fabric restorer is causing colour migration. Or if texture changes in your fabric shows during testing, there's alternative solutions. Test the fabric restorer solution, if problems show, substitute the solution.

How it works is that the rinse solution must neutralise your suite PH. If the fabric restorer causes colours to migrate we have to prevent migration. Stabilising colours is simple. Simply rinse fabric restorer out of your suite using neutral PH solution. Colours stabilise because PH levels are neutralised.

Here's what you do;

Mix 1 liter of fabric restorer -- 10 parts hot water to 1 part fabric restorer. 10-1 mix. Fill your pressure sprayer with the fabric restorer solution mix. Take a clean white tissue from your supplies. Spray two or three times onto your suite in an inconspicuous area (at the back of your suite.) Spray on enough fabric restorer to test every colour. About the area size of a cigarette box is normally fine. Press your tissue onto the solution. Keep your tissue pressed onto the solution for 30 seconds.

Take a look at your tissue after 30 seconds to check it. If no colour shows on your tissue, then fine. Waite while the sprayed solution dries. After about 1 hour check the solution. See whether the texture in your suite fabric has changed or distorted. If everything looks fine then go ahead and clean.

If the solution test shows colours have migrated, all is not lost. You can simply substitute the Fab clean solution. Rather than clean with Fab clean, use Fiber fabric rinse solution. The fiber fabric rinse is a neutral PH solution. Your colours in your suite will stabilise while you're rinsing. But the decision to clean or not is yours. I can only tell you what I would normally do in the case of colour migration.

You may well get a tiny colour bleed while cleaning your suite. But the fiber fabric rinse will instantly stabilise your

suite colours.

**Clean a small test area at the back of your
suite.**

Spray on your fabric restorer, agitate the solution into your fabric using your tampico brush.

Rinse out the area with your fiber fabric rinse solution.

If after the test area is dry you notice no difference in your suite colours. Or if the texture of your fabrics looks just as it should, then great. Go ahead and clean using your fiber fabric rinse solution. In many years cleaning suites I have never had any problems with colour migration. I simply use the fiber fabric rinse solution if colour shows bleed on testing.

On some suites it is suggested that you dry clean only. I would follow the dry clean only suggestions if they were suggested. But any suite you are not sure about, clean a test area. Round the back of your suite, any problems occurring will be hardly noticeable. If everything looks fine after testing, go ahead and clean.

There is one type of suite I've rejected cleaning, it's buffalo hide. It's the buffalo hide suite that I always say no to. The reason why is because the hide will react to water. Buffalo hide takes longer to dry. During 15 years cleaning suites I have come across three buffalo hide suites.

In two cases I have declined to clean the suites. In the third case the lady suite owner insisted that I clean. So I went ahead and cleaned. I did call her a few days after I cleaned her suite. As far as I can tell she was OK with the cleaning. My guess is that she was not completely overjoyed though.

All other types of suite are fine for cleaning. But if you are unsure about any suite you wish to clean, test it. If there is a problem with colour migration then use fiber fabric rinse solution. Just replace the fab clean solution with fiber fabric

rinse.

**Remember that fab clean solution mixes at 65-1
Fiber fabric rinse solution mixes at 100-1**

Fab clean.

6.5 liters of hot water to 100 milliliters of Fab clean solution

Fiber fabric rinse solution.

5 liters of warm water to 50 milliliters of fiber fabric rinse solution

Always pour cleaning solutions onto water.

NOT water onto cleaning solutions.

I cannot accept responsibility for any suite cleaning that you do. You must make your own decisions about whether to clean or not. If you follow the suggestions on testing there should be no problem.

Here's how to do it.

Fabric restorer is sprayed onto your suite like a fine mist. You agitate the solution into your upholstery fabric with a special brush. Fab clean is used to rinse out the fabric restorer. Use the extraction-cleaning machine to thoroughly rinse out the Fabric restorer. Both fabric restorer and Fab clean are designed to work as a team. If you mix solutions according to suggestions they work amazingly well. Cleaning solutions will always work superbly if you mix them properly.

From your supplies you have a pressure sprayer.

Mix your fabric restorer to 10 - 1.

1 liter of hot water in your measuring jug. Pour the water into the plastic pressure sprayer. Be sure the sprayer is empty before you pour in your hot water.

To empty the sprayer there is a small nozzle usually at the top of the sprayer. Pull out the nozzle to allow pressurised air to escape. Once all the air has been released, turn the

handle grip (usually anti clockwise) to open the sprayer.

Empty solution in the sprayer into a bucket. Tip the sprayer upside down to empty. Give the sprayer a shake while it's upside down. Once you've emptied the sprayer, it's ready to fill.

Mix solutions as suggested for perfect-cleaning results.

Use the small plastic see through funnel from your supplies. Place the funnel onto the sprayer at the top. Pour 1 liter of clean fresh hot water into the sprayer. Add 100 Milliliters of fabric restorer to the sprayer. Place your funnel onto your measuring jug. Tip 100 milliliters of fabric restorer from your 5-liter container into the measuring jug. It's easier to pour in your solution from the side of your container, not the front.

If you pour in too much solution, just pour some back into your container. Get the mix exactly right for the very best cleaning results. Pour the 100 milliliters of fabric restorer into the sprayer. Put the handle back in place and turn it until it's locked into position. Try to be sure that the handle on the sprayer is tight. Tighten the handle to ensure no pressure can escape from the sprayer.

**You now have 1 liter of fabric restorer
'mixed' and ready-to-use.**

Fill the extraction machine for rinsing with 6.5 liters of cleaning solution. Use your bucket and your hose, fill your bucket with hot water to 6.5 liters. There's normally measuring marks on the side of the bucket. 6.5 liters is just less than half a bucket full.

You should be able to place your hand in the bucket of hot water.

If the water temperature is too high your hand won't be comfortable in the water. Water in the bucket should be fairly hot. You should be able to place your hand in the water, but the

water should feel hot.

Take your measuring jug and pour in 100 milliliters of Fab clean. Use your funnel and tip your solution in from the side of your container. It's a good idea to mix your solutions on a white clean towel. Mix your solutions somewhere where it's safe and you won't be disturbed.

Pour the 100 milliliters of Fab clean into the bucket. Give the solution a swirl round with your hose while it's in the bucket. Use your funnel and pour your 6.5 liters of Fab clean solution into the machine.

Connect your hand-tool and hoses up ready-to-use!

NOW you're-ready to begin your suite cleaning.

Have your Tampico brush and your white terry towel handy. You now have everything prepared to start cleaning your suite.

Spray your fabric restorer onto your suite one section at a time. Maybe for instance your starting point might be one side of your chair. The chair side and arm is a good section to start from.

Pump up the sprayer!

Be sure that the handle grip on the sprayer is secure. Make certain that no air can escape from the sprayer. Just turn the handle until it's fairly tight. Pump up the sprayer to a good pressure. Continue to pump until the spray pressure is high. While you are using the sprayer, occasionally pump up the pressure to keep it high. Once you notice the pressure in the sprayer decreasing, pump it up!

Spray on your fabric restorer solution like a fine mist. Cover all the parts of your chair arm and chair side with your spray. Don't over wet your suite, just spray on enough solution to agitate into the fabric. Each time you come to the end of your spray pass release the trigger. Don't have a continuous flow of spray solution. Release the trigger after you have sprayed one pass with the lance. To spray the next part of your suite press the trigger again. You release the

trigger each time so that you don't over wet the fabric.

Spray from about 1 foot from your suite, keep the lance up high. Then release the trigger. Come back across the area overlapping with the trigger pressed. Then release the trigger. Then again repeat the spray and so on. Release the trigger every time before you make a new pass with your lance. Spray the length or width of the section you are cleaning with one pass of the lance.

Try to keep your spray even. You can apply a little extra spray to any area's that are more soiled. But do try to keep your spray generally even over the whole of your suite.

Let's say you've sprayed your chair arm and side of your chair. That's fine for now. Brush agitate the solution into the fabric next. Use your Tampico soft brush and start to agitate the fabric restorer into your fabric. Gently brush agitate the solution so as to clean the fabric by loosening soils.

Once you've agitated the sprayed solution into your fabric then stop.

Rinse-extract the solution now with your hand tool.

Switch the machine water pump and the vacuum motor on. Rinse extract from where you've sprayed and agitated the solution. Slowly bring your hand tool towards yourself with your trigger pressed. The Fab clean solution will rinse out soils and fabric restorer. Bring your hand tool from the back part of your chair towards yourself. Rinse-extract about one foot at a time.

The sides of your suite are often less soiled than other parts. One pass of your hand tool will be enough to rinse out soils.

Once you've done one pass rinsing out with your hand tool, then stop. Release the trigger. Go back over the area where you've rinsed using only vacuum extraction. Pull your hand tool slowly along the pass you've extraction rinsed. Vacuum out access solution from your fabric. Work slowly to pull out as much solution as you can. The more solution you can vacuum out

the better.

Move on to your next rinse extraction pass. Overlap the first pass you did, but do exactly the same as before. Bring your hand tool towards yourself slowly with the trigger pressed. Overlap about one quarter of the hand tool width. Press your trigger and bring your hand tool towards yourself.

Once you've rinse extracted your second pass, stop, release the trigger. Go back to the start of your second rinse extraction pass and vacuum out access solution. Bring your hand tool towards yourself slowly using only your vacuum.

Move on to your third extraction rinse. Overlap your hand tool width about one quarter and repeat as you have done. Do the same as you did on the two previous passes of your extraction rinse. Remember, go back over the rinse extraction pass each time with vacuum only. You vacuum so that you can extract as much solution out as you possibly can.

After you've completed four or five-rinse extraction passes, stop. You've gone back over each extraction pass using only your vacuum, great. Go back over the cleaned area once again using only your vacuum. The four or five rinse extraction passes you've done, repeat vacuum extraction. Vacuum out as much solution from the cleaned area as possible.

Continue as you have done making a pass with trigger pressed, then stop. Go back over the rinse extraction pass using only your extraction vacuum, (without the trigger pressed). Continue making your extraction rinse passes and your vacuum only passes. Once you've got four of five passes done, stop. Go back over the 4 or 5 passes using only your vacuum extract.

Work this way by only doing a bit a time. Remember that after 4 to 5 passes are done, go back over the area and extraction vacuum only. Every 4-5 passes done vacuum extract to pull out access solution. Pass your hand tool over the area slowly when you vacuum

extract. Vacuum out as much solution as you possibly can.

**You can repeat pre spraying, brush agitation
and rinse extraction.**

If there are any heavily soiled areas, simply repeat the procedure. Any stubborn soiling can be easily cleaned. Continue to spray, agitate and rinse extract until heavy soiling is cleaned.

Chair backs, settee backs, arms and cushions, clean easy with this procedure. There is one problem area that needs special attention. Your suite can easily be cleaned how I've shown. The place to be careful is the front of arms on your suite. Be careful cleaning the front of arms as these areas are sensitive.

To clean the arms on your suite, clean as I've described. Some places on the arms are not always easy to get at. Use your solution spray differently to rinse these areas. Hold your hand tool off your suite. Press the trigger to spray on solution a few inches from the arm.

Once you've sprayed rinse solution into awkward places, remove the hand tool. Just pull and disconnect the hand tool from the hose. Then use only the hose part to suction out rinse solution. Be extra careful in these areas. Chair arms and settee arms are often delicate due to wear and tear. Be gentle while cleaning awkward areas on your suite.

It's the front of your suite arms that are awkward to clean. The hand tool you use for cleaning cannot easily clean fronts of arms. The hand tool does not always sit flush on these areas. I've suggested you spray rinse solution on, then extract using only the hose.

Just allow the hose to vacuum out solution gently. Do be careful in these delicate areas. Your chair arms and settee arms get more wear and tear. Obviously care needs to be taken while cleaning these areas.

Each time you've completed cleaning a chair or settee, take a breather. Have a rest and a cup of tea. Before you move on further set the fabric to dry. All you need is your white hand towel from your supplies.

Be sure your towel is clean and damp. Fold your towel to fit nicely into your hand. Wipe your suite down so that the fabric pile is raised, not flattened.

Drying is neat and fast with the fabric pile raised. Rather than having your fabric untidy while drying, set your fabrics to dry. Wipe down your suite so the fabric flows in one direction. A damp clean white towel is best to use for setting your fabric.

There are just 3 problems that you may encounter with the equipment

It is important to switch off the extraction machine once you hear two warning sounds. One sound indicates that the solution tank is empty. The other sound tells you that the recovery tank is full.

Solution tank empty warning sound

You'll hear the water pump trying to work harder. The spray from the hand tool, the pressure will decrease. You'll see that the pressure in the spraying is weaker. When you notice these two warning signs, switch the machine off. If you continue trying to clean while the solution tank is empty two things happen.

1/ There will be no pressure in the spray solution you're using for extraction.

2/ If the pump is allowed to run with no solution it will burn out.

As soon as you notice the warning signs, a noticeably higher pitch noise from the water pump. A decrease in solution spray pressure.

Switch off the machine immediately.

You'll hear the machine trying to work harder. All it's doing is telling you that the solution tank is nearly empty. Refill your solution tank then continue to clean.

Second warning sign.

Recovery Tank Full

You will hear the vacuum motor working harder. What happens is that the vacuum motor pitch will rise notably louder. The machine pitch rises when the recovery tank is full. No more dirty water can pass into the recovery tank after it is full. You must switch off the machine immediately once you hear the warning sound.

After cleaning a while, the recovery tank becomes full. Listen for the warning sound. Switch off the machine when you hear the raised pitch in the vacuum motor. Simply empty the recovery tank into a bucket, then continue cleaning.

Check the spray nozzle is clear and working properly

Keep an eye on the spray that comes out from the hand tool. If you see that it is not spraying evenly. Or that the pressure looks less than it should be. Then stop. The spray nozzle on the hand tool needs to be cleared. Contact immediately the hire person or shop. If there is a problem with the equipment you must get it sorted. A simple call will often sort out any problems that may occur.

Back to cleaning your suite.

Wipe your suite towards yourself with your folded damp towel. Once you've done the setting, leave your suite to dry. If you've cleaned both sides of your cushions keep them lifted. Allow air at the cushions, your suite will dry faster. Keep a window or two open for ventilation until your suite is dry.

We've covered how to clean your suite. Remember cushions can be cleaned on one side if you wish. If you clean both sides of your suite cushions that's your decision. I would suggest that you clean one side for now. While you're getting used to cleaning go easy and try to enjoy it.

When cleaning a suite, it's not always important to clean the back. The backs of chairs and settees are often against a wall. The backs don't get used or soiled like the rest of your suite. I do towel wipe the backs of chairs and settees though.

Once your suite has been cleaned, set you're fabrics for drying. Rinse out your towel in warm water. Turn on the water

spray switch on the extraction machine. The water pump when switched on is less noisy than the vacuum motor. You'll hear the difference while the pump is working.

Have your hand tool spray at the ready and move to the back of your suite. Spray the back of your chair or settee; Just pull the trigger on the hand tool to spray. Spray the whole of the back of your chair or settee which ever you're cleaning.

Spray a light covering of solution then stop the spray. Keep your machine spray button switched on. Take your clean towel and wipe the backs of your chair and settee. Just wipe over the backs to remove any surface soil.

You'll be freshening the back of your chairs or settee by spraying and wiping. Odours in the fabric will be removed with a quick spray and towel wipe. Rinse out your towel. Finally set the backs of your chairs and settee as described earlier.

That concludes the cleaning of your suite.

Please take your time while cleaning. Avoid rushing and doing too much all at once. Work slowly at your own pace. Overdoing it can tire you out.

Take your time and enjoy the cleaning that you do. Racing through the job you'll probably get a poor result from your efforts. If you dislike cleaning your suite you'll avoid doing it.

Maintain the clean fresh look of your suite.

The best way to keep your suite clean is to maintain your extraction clean. Maintaining your suite is much easier than the full extraction clean. You can maintain your suite without any machinery. All you need is a clean white towel and a hand sprayer. 1 liter of cleaning solution, plus rinse solution and bucket, that's it!

Getting you started on the maintenance cleaning of your suite is easy. Providing you've got everything you need, cleaning is simple and quick. The best times to maintenance clean are about every 3-5 months.

If your suite soils quickly due to kids and a large family clean often. You decide when you think is best to clean. The idea of maintenance cleaning is to clean before soil takes hold. Too long intervals between cleaning, soils will penetrate your fabrics.

Suite maintenance cleaning is easy and rewarding. Do it often and you receive the benefits.

There's no hard work with maintenance cleaning, do it gently and easily. Enjoy maintenance cleaning and you'll do more of it. Your suite will always look clean. You'll have a clean, fresh smelling suite and your colours will show bright. The cleaning solutions do give a superb result.

For maintenance cleaning, vacuum-clean your suite first. Use the attachment on your vacuum cleaner for upholstery. Every vacuum cleaner has an attachment for cleaning upholstery. If you are without one, try to get one as soon as possible. Any vacuum cleaner repair shop will have an upholstery-cleaning tool attachment.

Just like before, take your time and vacuum out lots of dry soil. Vacuum clean gently and easily for best results. Avoid tiring yourself out, have a rest occasionally. Remember if you enjoy what you're doing you'll do more of it.

Start maintenance cleaning from one side of your chair or settee. Vacuum clean until you're sure you've removed dry soils thoroughly. Vacuum clean one item, a chair or your settee.

Once you've vacuum cleaned stop and then prepare your sprayer. You need approximately 1 liter of cleaning solution to clean your suite.

**The solutions we use for suite maintenance cleaning are; Fabric Restorer
Fab clean. Or Fiber Fabric Rinse.**

If testing shows that colours are unstable, you can

neutralise your PH levels. Fiber fabric rinse solution will be best used rather than Fab clean. Here's how it works.

Remember test your solutions before you use them. If no colour changes occurred on testing, your solution spray is fabric restorer. Mix a 1-liter measure of solution. Use your measuring jug. You want 1 liter of hot water. Pour onto your hot water 100 milliliters of Fabric restorer. Pour the solution mix into your hand sprayer. You don't need a pressure sprayer for suite maintenance cleaning. Your 1 liter hand spray will be just fine for maintenance cleaning.

Your rinse solution, providing that your colours are stable is Fab clean. Measure 6.5 liters of hot water into your bucket. Pour into the water 100 milliliters of Fab clean. Use the 6.5 liter mix for rinsing out your towel.

Alternatively, if your test showed colour migration use fiber fabric rinse solution. Simply replace the Fab clean with fiber fabric rinse. Remember though that the 'fiber fabric rinse' solution mixes at 100- 1. One 5 liter mix would be 5 liters of warm water to 50 milliliters of fiber fabric rinse.

Here are the solution mixes;

Fabric Restorer - 10-1.- (1 Liter of hot water to 100 milliliters of Fabric Restorer)

Fab Clean - (6.5 liters of hot water to 100 milliliters of Fab clean)

Note; Always pour cleaning solution onto water. Not water onto cleaning solution.

If colour showed bleeding on test, mix;

Fiber Fabric Rinse Solution - 100-1 (5 Liters of hot water to 50 milliliters of Fiber fabric rinse solution)

A simple spray and towel wipe is all you need to do.

To start cleaning, spray your fabric restorer solution onto your suite lightly. Try not to over wet your suite; we're only doing maintenance cleaning.

Heavy soil cleaning is out on this clean. Spray your solution on a section at a time. The side and arm of a chair are fine to clean first. After you've sprayed on your cleaning solution, have your damp towel ready. Be sure you've rinsed the

towel through in the

Fab clean solution. Fold your towel to fit into hand. Simply towel wipe the sprayed cleaning solution gently. Once you've cleaned the first section (the chair or settee arm and side) move on. Spray your next section for instance (the back of your chair or settee). Fold your towel to a clean part showing, then towel wipe the solution again.

On the front of your chair or settee arms, these areas are delicate sometimes. After spraying delicate areas don't rub or wipe too hard. Blot and dab soils out of delicate areas rather than rub and wipe.

Seat cushions; just clean one side, the side that's showing. Don't exhaust yourself with too much early on. Spray your cushions with solution, then towel wipe to remove surface soil. Clean where you rest your back and head, the same way. Spray your cleaning solution, and gently towel-wipe it off to clean.

Fold and turn your towel to a clean part occasionally. Rinse out your towel in the Fab clean solution now and again. Be sure your towel is damp while wiping, blotting and dabbing.

Setting

Spray and towel wipe until you complete the maintenance clean. Rinse your towel through in the Fab clean solution. Set your suite for drying. Each time you finish cleaning a chair or your settee, set your fabric. Rinse your towel before you set the fabric. Or use a separate clean damp towel for setting.

You'll find maintenance cleaning quick and easy. Long term maintenance cleaning does pay dividends. Your suite will always look clean. Remember we clean soils out before they penetrate your fabric. Maintenance cleaning will have hardly any effect if your suite is showing soils. Clean regularly and often and keep the clean, fresh look of your suite maintained.

**Remember to ventilate the area where
you've been cleaning.**

Open one or two windows to allow ventilation into your room. Your suite should be dry and ready to use in under 3-4 hours. The back of your suite, it isn't always necessary to clean.

The back never gets used; it's unlikely to be soiled. You can however wipe the backs of your chairs and settee with your towel. Set the backs of your suite while you're wiping them over.

**Maintain your suite every 3-5 months.
Once every two years extraction clean
then continue with maintenance cleaning.**

Cleaning your suite enhances colour and improves the feel of fabric texture. You're suites condition will remain good if you clean as suggested. You won't have to rely on anybody else in order to clean your suite. You can clean your suite yourself as and when you like.

There's no reason to have stains showing on your suite. Simply clean stains off as they appear. The basic way to remove stains is spray and brush agitate the stain. Follow through with extraction rinse.

Or you can spray and blot the stain to remove it. The tools, equipment and solutions that are best to use are available. Do be sure though that your suite colours are stable. It's always best to rinse out any areas where you've removed stains. You can simply towel wipe the area after you've rinsed the towel through in rinse solution.

**Now you know how to clean your suite
you are in control.**

**After one or two cleans, you'll feel confident
cleaning your suite yourself.**

In years to come other similar suites will look old. soiled and worn. Your suite will look bright, new and clean. The cost to you is a small fraction of normal suite cleaning

prices. I know that you can easily get superb cleaning results every time yourself.

The idea is to maintain the clean you have done. That means that all your efforts in extraction cleaning pay dividends.

Simply, from now on, after you've extraction cleaned; you maintain your suite thereafter. You don't need machinery apart from your vacuum cleaner to maintain your suite. Maintenance cleaning is quick and easy.

If you maintain your suite you'll enjoy a bright, clean, fresh looking suite. Suite maintenance cleaning can be done in about one hour. But the idea is to clean before soil starts to appear. Once every 12 - 16 week's is usually sufficient to keep your suite clean ongoing.

I wish you all the very best,

Shane